## INDEX TO VOL. XXVIII.

(* indicate	es new	genera,	species	or	varieties.)	)
-------------	--------	---------	---------	----	-------------	---

AINSLIE, C. N. Notes on the construction of the cocoon
of <i>Praon</i> 364
Baker, A. C. On the Chinese gall (ill.)385
Banks, N. New mites, mostly economic (ill.)193
Bernheim, J. L. Swarms of butterflies (ill.)339
BLACKMORE, E. H. Entomology in British Columbia469
Blaisdell, F. E. A correction in Omus234
Studies in the tenebrionid tribe Eleodiini, No. 222I
Blaisdell and Reynolds. A new Omus (ill.) 49
Brues, C. T. Three new West Indian species of the ich-
neumonid genus Eiphosoma (ill.)450
Buchholz, O. A new species of Acronycta183
CALVERT, P. P. Advances in knowledge of fossil insects. 80
Ants vs. men185
Calopteryx dimidiata apicalis266
The convocation week meetings
The lack of entomologists (editorial)
The national defense against and by insects283
The News for 1917 (editorial)
The News for 1918 (editorial)424
Review: Tillyard's Biology of dragonflies475
Specialization in entomology140
Studies on Costa Rican Odonata. VIII. A new genus
allied to Cora (ill.)259
CHAMBERLIN, W. J. A correction in Trachykele234
Notes on some Buprestidae of northern California. 120, 166
Chidester, F. E. Dytiscus as a destroyer of mosquito
larvae
COCKERELL, T. D. A. Entomology at the United States
National Museum 55
New bees from Costa Rica
A second <i>Colletes</i> with spotted wings
Some bees of the genus Psaenythia302

Crampton, G. C. A phylogenetic study of the lateral head,
neck and prothoracic regions in some Apterygota and
lower pterygota (ill.)398
Cresson, E. T., Jr. Descriptions of new genera and spe-
cies of the dipterous family Ephydridae, IV340
Opening up a new field [Review of "Sarcophaga and
its allies in North America"]
Cresson and Rehn. (See Entomological Literature.)
Crosby and Leonard. The egg of Byturus unicolor (ill.) .438
An egg parasite of the sumac flea-beetle (ill.)368
DAVIDSON, W. M. Early spring Syrphidae in California
and a new Pipisa (ill.)414
DEAN, G. A. The Knaus collection of Coleoptera263
DICKERSON and Weiss. The azalea lace-bug, Stephanitis
pyrioides (ill.)
Dickerson, E. L. (See also Weiss & Dickerson.)
DIETZ, W. G. Key to the North American species of the
tricolor group of the dipterous genus Tipula, with de-
scriptions of four new species (ill.)145
Dolley, W. L. The rate of locomotion of Vancssa antiopa
in different luminous intensities and its bearing on the
"continuous action theory" of orientation 83
Drake, C. J. Key to the nearctic species of Gargaphia
with the description of a new species227
Dunn, L. H. A simple method of identifying the Anophe-
les mosquitoes of the Canal Zone 14
Dunlap, K. A new biological journal284
EMERTON, J. H. Spiders in the Adirondacks 59
Fall, H. C. A new genus and species of Buprestidae 68
Felt, E. P. New Indian gall midges
Gibson, E. H. The genus Harmostes439
A new species of Corythuca from the Northwest258
GIRAULT, A. A. New chalcid flies from Maryland20, 255
The North American species of Trigonoderus, females.396
The occurrence of the genus Monobacus in No. Am106
Goe, W. T. Adult Chrysopidae do eat184
Green, J. W. A new Trichodes

HAMPSON, G. F. The determination of generic types in
the Lepidoptera463
HARRISON, J. W. H. Egg-masses of the vaporer moths
wanted151
HASEMAN, L. Sarcophaga haemorrhoidalis larvae as para-
sites of the human intestine343
HEBARD, M. A new species of Myrmecophilous blattid
(ill.)360
Notes on the earwigs of North America, north of the
Mexican boundary (ill.)311
Hess, W. N. Origin and development of the photogenic
organs of Photuris pennsylvanica304
HISER, O. F. and J. S. Erebus odora and its larvae in
Iowa
Holloway, T. E. Abundance of the fall web worm425
Howard, L. O. An active ant-killer
Huguenin, J. C. A new Catocala net (ill.)
HUNGERFORD, H. B. The egg-laying habits of a back-
swimmer, Buenoa margaritacea, and other biological
notes concerning it (ill.)
The life history of the back-swimmer, Notonecta undu-
lata (ill.)267
Johannsen, O. A. Some North American Anthomyiidae. 323
Kennedy, C. H. Notes on the penes of damselflies, No. 2.
The close relations inter se of the Hawaiian Agrio-
nines (ill.)
Notes on the penes of Zygoptera. No. 3. The penes in
Neoneura and related genera (ill.)289
Knight, H. H. New and noteworthy forms of North
American Miridae 3
New species of Lopidea (ill.)455
Laurent, P. Collecting insects by the aid of molasses
traps 81
Abundance of Sympetrum rubicundulum479
Leonard, M. D. (See Crosby & Leonard.)
Lindsay, A. W. A list of the butterflies of Iowa347
McDunnough, J. R. Synonymic notes on North Ameri-
can Lepidoptera232

McGregor, E. A. Three new Mallophaga from North
American birds (ill.)433
METCALF, C. L. Two new Syrphidae from eastern North
America (fig.)209
Morse, A. P. Review: Hebard's Blattidae of North
America430
Needham, J. G. Notes on some recent studies of dragon-
fly wing tracheation169
Newcomb, H. H. Emily L. Morton 97
Ottolengui, R. The distribution and synonymy of Auto-
grapha vaccinii
PARKER, R. R. Seasonal abundance of flies in Montana 278
Parshley, H. M. A species of Macrotracheliella found
in New England
Porter, B. A. The host of Ablerus clisiocampae186
REHN, J. A. G. On Coelophyllum simplex and certain of
its allies (ill.)152
Some critical notes on the giant katydids forming the
group Steirodontia (ill.)
(See also Cresson and Rehn.)
REYNOLDS, L. R. (See Blaisdell and Reynolds.)
RICH, S. G. A further note on Zonocerus elegan: 2
Ripley, L. B. Notes on the feeding habits of adult Chry-
sopidae
Robertson, C. Feeding habits of adult Chrysopidae301
The generic bugbear285
Rohwer, S. A. Two new species of Macrophys264
SEAMANS, H. L. A new species of Tropidia from Montana. 342
Shinji, G. O. Mating habit of the cottony cushion scale. 162
New aphids from California (ill.) 61
Skinner, H. Anthocharis genutia and a new variet438
Insects and war (editorial)330
Lycaena lygdamus and its races with a description of a
new one212
New species of Lepidoptera328
Pupal differences in Megathymus232
Some synonymy in the Hesperidae 82

Review: Barnes & McDunnough's Check List of Lepi-
doptera of Boreal America190
Review: The Lepidopterist 45
Stevens, O. A. Preliminary list of North Dakota wasps
exclusive of Eumenidae419
STILES, C. W. Notice to the zoological profession of a
possible suspension of the International rules of zoo-
logical nomenclature in the cases of Musca and Calli-
phora231
STONER, D. A new species of Apateticus from Louisiana
(ill.)
Tillyard, R. J. Phylogeny of ant lions
DE LA TORRE BUENO, J. R. Life-history and habits of the
larger water-strider, Gerris remigis201
Life-history and habits of the margined water-strider
Gerris marginatus295
Life-history of the northern microvelia—Microvelia bo-
realis (ill.)
New York Scoloposthethi (Lygaeidae: Heter.) 65
TUCKER, E. S. Outbreaks of the elegant looper (Phil-
traea elegantaria) on privet in Louisiana394
VAN DUZEE, M. C. New North American species of
Dolichopodidae (ill.)123
WARREN, J. C. Habits of some burrowing Scarabaeidae 412
Weiss, H. B. Additions to insects of New Jersey, No. 5214
A correction in spelling Acythopeus
Some unusual orchid insects 24
(See also Dickerson and Weiss.)
Weiss and Dickerson. Psyllia buxi in New Jersey 40
Westcott, O. S. Sex attraction overcome by light stim-
ulation
WILLIAMSON, E. B. Correction of the specific name of a
dragonfly 8
Some species of Leptagrion with descriptions of a new
genus and a new species (ill.)241
WIRTNER, M. A new genus of Bothynotinae, Miridae 33
Wolcott, G. N. Influence of rainfall on abundance of a
moth161

GENERAL SUBJECTS	Entomology as a National de-
Academy of Natural Sciences	fense 229
of Philadelphia. (See En-	Feldman Collecting Social,
tomological Section.)	94, 191, 239, 383
Additions to Insects of New	Florida Entomological Socie-
Jersey, No. 5 214	ty 432
Aid in the Entomology of	Fossil insects, Advances in
New Jersey 122	knowledge of 80
American Entomological So-	Generic bughear 285
ciety45, 237, 383, 480	History of Entomology 480
Animal Life in the Katmai	Insects and war 330
District, Alaska 70	Insects attacking insects,
Animals, except man, attack-	186, 203, 220, 258, 310, 368, 454
ed by Insects 433	Johnson (O. B.) entomologi-
Apterygota, A phylogenetic	cal collection 41
study (ill.) 298	Knaus collection of Coleop-
Biological Journal, A new 284	tera 263
British Columbia, Entomol-	Lack of entomologists 373
ogy in 469	Lorquin Natural History
Butterfly Club in Los An-	-Club (see Entomological
geles 383	Section of)
Collecting trip in Colombia,	Man, Insects that attack 343
E. B. Williamson's 230	Medal awarded for entomo-
Collections of the University	logical research 353
of Michigan, Entomologi-	Michigan, Entomological col-
cal425	lections of the University
Collector's Exchange 233	of 425
Convocation week meetings,	Molasses traps, Collecting in-
77, 87, 468	sects by the aid of 81
Doings of Societies,	Myrmecophilous insects 360
44, 87, 191, 237, 382, 431, 480	National defense against and
Emergency entomological	by insects 283
service283, 331, 375, 470	National defense, Entomolo-
Entomological literature,	gy as a 229
42, 83, 141, 187, 234, 286, 332,	Newark Entomological Socie-
377, 426, 471.	ty46, 96, 238
Entomological Section of the	News for 1917 39
Acad. Nat. Sci47, 382, 431	News for 1918 424
Entomological Section, Lor-	Ohio State University, The
quin Nat. Hist. Club 432	new head of the department
Entomological Society of No-	of Zoology and Entomology 184
va Scotia 431	Orchid insects, Some unusual 24
Entomological Workers of	Photographs received for the
Ohio 192	album128

Phylogenetic study in some apterygota and Pterygota	Van Dyke, E. C
(ill.) 398	DESTINATE
Physiographic divisions of	REVIEWS.
the U. S 303	Aldrich: Sarcophaga and al-
Plants attacked by insects, 24, 35,	lies in North America 86
40, 62, 73, 79, 95, 129, 166, 174,	Barnes & McDunnough:
194, 215, 232, 238, 285, 371, 394.	Check List of Lepidoptera
425, 456.	of Boreal America 190 Hebard: Blattidae of North
Plants visited by insects, 258, 301,	America 430
414, 420.	T *1
Psychobiology 284	Lepidopterist
Pterygota, A phylogenetic study	
of some 398	flies 475
Questions and answers, 40, 78, 141	GEOGRAPHICAL DISTRIBU-
Return of animal life to the	TION.
Katmai district, Alaska 70	Arachnida: Fla., 196*; La., 195*;
Specialization in entomology. 140 Summer work on insects 266	N. Y., 59*; Tex., 310; W. I.,
United States National Mu-	194*; C. A., 197*.
77 . 1	Coleoptera: Cal., 49*, 69*, 129,
War and insects 330	166, 224*, 383; Fla., 191; Ga.,
War and miscets	191; Kans., 412; Md., 94; N. J.,
OBITUARY NOTICES.	25, 47, 94, 95, 96, 217, 383; N.
Barrett, J. P 337	Mex., 46, 96; N. Y., 438; Oreg.,
Briggs, C. A 337	225*; Penn., 82, 94; R. I., 383;
Gibbs, A. E 338	Tex., 191, 367*; Va., 240; Wash.,
Heidemann, O. (ill.) I	221*.
Johnson, O. B 338	Diptera: Can., 325; Cal., 126*;
LcConte, Helen G 384	146*, 341*, 417*; Col., 126, 150*;
Pickard-Cambridge, O 384	Conn., 327; Idaho, 341*; Ind.,
Poppius, B. R 338	325; Me., 210*; Mass., 124*,
Rodriguez, J. J 335	325*; Mich., 148*; Mo., 343;
Trimen, R 338	Mont., 278, 342*; N. J., 25, 95,
Waterhouse, C. O 337	220; N. Y., 149, 325; N. C., 149*,
PERSONALS.	210*; Ohio, 327; Penn., 95, 327;
Barber, G. W 461	C. Am., 14; S. Am., 341; India, 73*, 369*.
Ellis, M. M	Hemiptera: Can., 67; Cal., 61*,
Hallinen, J. E	162, 228*, 445*; Col., 67, 447;
Knaus, W	La., 462*; Mass., 38*, 68, 461*;
Morton, E. L	Md., 458*; Mo., 459*; N. J., 24.
Parshley, H. M 461	40, 96, 101, 215, 238; N. Mex.,
Smith, M. R 461	447; N. Y., 5*, 65, 456*; Oreg.,
Tillyard, R. J 353	445; Penn., 34*; Tex., 6*, 445;
	1107

Wash., 258*; Mex., 441; C. Am., 441; S. Am., 443; China, 385. Hymenoptera: Ill., 397*; Md., 20*, 255*, 397*; Mich., 106*, 266:	Ant-killer, An active
Mo., 264*; Neb., 266; N. J., 47, 219; N. Y., 266; N. Dak., 419; Va., 368*; W. Ind., 450*; Mex., 363*; C. Am., 200*; S. Am.,	celarius*, Stigmacopsis (III.) 196 Chortoglyphus (see graci- lipes). decepta*, Tetranobia (iII.) 194
302*. Lepidoptera: Can., 214; Alaska,	Eremobates (see magnus). Eutetranychus* 197
214; Cal., 214, 232, 328*; Col., 214; Fla., 480; Ga., 438*; Ill., 214; Iowa, 79, 347:	gracilipes*, Chortoglyphus (ill.)
La., 394, 425; Md., 46, 238; Minn., 214; Mont., 214; N. H.,	latus*, Spelacorhynchus (ill.) 197 magnus, Eremobates 310
30; N. J., 25, 46, 94, 96, 183*,	Mites, mostly economic, New 193
219, 238; N. Mex., 239; Oreg.,	Neophyllobius 196
214; Penn., 47, 94, 191, 239, 240,	Notophallus (see viridis).
383; Tex., 339; Va., 212, 214.	obesus*, Iphiopsis (ill.) 198
329*; Wash., 213*; W. Va., 214; Wisc., 214; Cuba, 82.	Oligonychus
Mallophaga: Minn., 436*; S. Dak.,	Raphignathus 196
433*; Tex., 435*.	sacchari*, Tyroglyphus (ill.). 193
Neuroptera: Conn., 35; N. J.	Schizotetranychus 197
215; Australia, 42.	Spelacorhynchus (see latus).
Odonata: Fla., 383; N. J., 266;	Stigmacopsis 195
Penn., 479, 480; C. Am., 260*,	(See also celarius.)
480; S. Am., 244*.	Stigmacus 197
Orthoptera: Can., 317; Cal., 238,	Tennipalpus 196
313; Ariz., 313; Del., 317; Fla, 312, 317*, 382; Ga., 313; La., 313;	Tetranobia
Maine, 316; Mass., 316; Miss.,	Tetranychina
313; N. J., 217, 312; N. Y.,	(See also apicalis.)
312; Penn., 46, 95, 316; R. I.,	Tetranychoides 197
316; Tex., 312; Va., 317; Wisc.,	Tetranychopsis 197
317; W. Ind., 111, 156; Mex.,	Tetranychus (see antillarum).
360; C. Am., 111, 156*, 361*; S. Am., 110, 154*; S. Africa, 2.	Tyroglyphus (see sacchari) viridis, Notophallus (ill.) 193
ARACHNIDA	COLEOPTERA

Acheles ..... 197

Adirondacks, Spiders in the 59 antillurum\*, Tetranychus

Acmacodora (see angelica, hepburnii, acuta, connexa, labyrinthica, plagiaticauda, variegata, vandykei, mari-

posa, dolorosa, nornii, gc-	contigua, aentipes, califor-
mina.	nica, caurina, sylvania, mali,
acuta, Acmaeodera 167	pubescens, deleta, cyanella.
Acypotheus (see orchivora).	prasina, monticolae, dolata,
Acythopeus, Correction in	pseudotsugae, laricis, nixa,
spelling 106	viridicyanea).
adjecta, Buprestis 133	Chrysophana (see placida).
adulterina, Elcodes 224	Collecting by the aid of mo-
aencogaster, Anthaxia 135	lasses traps 8:
Agrilus (see politus, vittati-	confluens, Buprestis 133
collis, walsinghami, neva-	connexa, Acmaeodera 16;
densis).	connexa, Buprestis 13
Ampheremus* 68	consputa, Melanophila 133
(See also cylindricollis.)	contigua, Chrysobothris 13;
angelica, Acmaeodera 160	cupreonitens*, Omus (ill.),
angulicollis, Chalcophora 129	49, 232
Anthaxia (see aeneogaster,	cyanella, Chrysobothris 139
deleta, sublacris).	cylindricollis*, Ampheremus. 69
atropurpurca, Melanophila 134	deleta, Anthaxia 133
bicinctus*, Trichodes 367	deleta, Chrysobothris 139
Blepharida rhois, Egg para-	dendrobii, Diaxenes 28
site of 363	dentipes, Chrysobothris 133
Bradycinetus (see fossator).	Diaxenes (see dendrobii).
Buprestidae, A new genus and	Dicerca (see prolongata, sex-
species of	ulis, tenebrosa, hornii, pec-
Buprestidae of Northern Cali-	terosa).
fornia, Notes on some 12)	difformis, Phanacus 412
Buprestis (see gibbsii, con-	Diorymellus (see lacvimargo).
nexa, laeviventris, rustico-	dolata, Chrysobothris (ill.) 136
rum, langii, lanta, conflu-	dolorosa, Acmacodera 168
ens, adjecta).	drummondi, Melanophila 13.
Burrowing Scarabaeidae 412	Dytiscus as a destroyer of
Byturus unicolor, The egg of	mosquito larvae 452
(ill.)	Egg of Byturus unicolor 438
californica, Chrysobothris 135	Eleodes (See manni, variolosa,
californica, Polycesta 166	adulterina, hybrida, trita,
Canthon (see lecontei).	papillosa).
carnifex, Phanaeus 412	Eleodiini, Studies in the 223
cattleyae, Cholns (ill.) 23	Eucactophagus (see graphip-
caurina, Chrysobothris 135	terus).
Chalcophora (see angulicol-	femorata, Chrysobothris 133
lis).	ferrea, Poecilonata cyanipes. 133
Cholus (see cattleyac).	fossator, Bradycinetus 413
Chrysobothris (see femorata,	gemina, Acmacodera 168
the journation (see je morard,	gemma, manufatra 100

gentilis, Melanophila 134	Phanaeus (see difformis, car-
gibbsii, Buprestis 131	
graphipterus, Eucactophagus	Photogenic organs of Photu-
(ill.) 25	ris pennsylvanica 304
Habits of some burrowing	Photuris pennsylvanica, Pho-
Scarabaeidae 412	togenic organs of 304
hepburnii, Acmacodera 167	
hornii, Acmacodera 168	
hornii, Dicerca 130	
hybrida*, Elcodes 225	11 4 11
Knaus collection of Coleop-	Polycesta (see californica).
tera 263	
labyrinthica, Acmaeodera 167	prolongata, Dicerca 129
laevimargo, Diorymellus (ill.) 27	
laeviventris, Buprestis 132	
langii, Buprestis 132	1 1 71 11 11
laricis, Chrysobothris 138	
lauta, Buprestis 133	G
lecontei, Canthon 413	
longipes. Melanophila 133	
mali, Chrysobothris 139	11 51
manni*, Eleodes 221	Strategus (see mormon).
mariposa, Acmacodera 168	
Melanophila (see consputa,	tribe Eleodiini, No. 2 221
longipes, atropurpurea,	sublacvis, Anthaxia 135
drummondi, gentilis).	Sumac flea beetle 368
Molasses traps, Collecting by	sylvania, Chrysobothris 139
the aid of 81	Tenebrionid tribe Eleodiini,
monticolae, Chrysobothris 136	Studies in 221
mormon, Strategus 413	tenebrosa, Dicerca 130
nebulosa, Trachykele131, 234	Trachykele (see opulenta,
nevadensis, Agrilus 169	nebulosa).
nimbosa, Trachykele 234	Trichodes (see bicinctus).
ni.va, Chrysobothris 138	trita, Eleodes 225
Omus, A new 49	unicolor, Byturus 438
(See also cupreonitens.)	vandykei, Acmacodera 167
opulenta, Trachykele 130	variegata, Acmaeodera 167
orchivora, Acypotheus (ill.). 26	variolosa, Elcodes 223
Origin and development of	viridicyanca, Chrysobothris 138
the photogenic organs of	vittaticollis, Agrilus 169
Photuris 304	walsinghami, Agrilus 169
papillosa*, Elcodes 226	DIPTERA.
pecterosa, Dicerca 130	Abundance of flies, Seasonal 278
pennsylvanica, Photuris 304	albimanus, Anopheles 18

alexandriana*, Tipula (ill.) 146	Ephydridae, Descriptions of
andropogonia*, Dyodiplosis . 371	new genera and species of 340
Anopheles (see pseudopunc-	erythrocera, Lispocephala
tipennis, ciseni, malefactor,	verna 326
apicimacula, argyritarsis,	flavitibia, Dialyta 327
albimanus, tarsimaculata).	Flies, Seasonal abundance of 278
Anopheles of the Canal Zone. 14	fluitans*, Lasioptera 73
Anthomyiidae, Some North	fluvialis*, Pseudhormomyia74
American 323	fraterna, Tipula 146
apicimacula, Anopheles 17	fulvolineata, Tipula 143
arcuatus*, Campsicnemus (ill.) 125	Gall midges, New Indian.73, 309
arcuatus, Syrphus 415	haemorrhoidalis, Sarcophaga. 343
arelate, Prosalpia 325	Hammomyia (see paludis).
argyritarsis, Anopheles 18	Hormomyia (see ischaemi).
aspidoptera, Tipula 145	House fly, Destruction of 231
bella, Tipula 146	Hydrellia (see tibialis).
californica*, Pipisa (ill.) 417	hydrophilus, Liancalus (ill.). 127
Calliphora and Musca, Sus-	Identifying Anopheles of the
pension of rules in cases of 231	Canal Zone 14
caloptera, Tipula 146	Indian gall midges 73. 369
Campsicuemus (Key to N.	ischaemi*, Hormomyia 369
Am. species) 124	Lasioptera (see fluitans).
(See also arcuatus, nigri-	Liancalus (Key to N. Am.
pes).	species) 126
carolinensis*, Cinxia (ill.) 209	(See also hydrophilus, lim-
cattleyae, Parallelodiplosis	batus).
(ill.) 25	limbatus*, Liancalus (ill.) 127
Ceropsilopa* 340	Limnophora (see torreyac).
Cheilosia (see occidentalis).	Lispocephala 326
Cinxia (see carolinensis).	(See also verna, erythro-
cleoae*, Sphaerophoria (ill.) 210	cera, pallipalpis).
comanche, Tipula 145	malefactor, Anopheles 17
conspicua*, Tipula (ill.) 149	Mesorhaga (Key to N. Am.
cooleyi*, Tropidia 342	species)
cornea*, Pseudhormomyia 76	(See also varipes, nigripes).
Destruction of the house fly. 231	Mosquito larvae, Dytiscus as
Dialyta (see flavitibia).	a destroyer of 454
Dolichopodidae, New North	Musca and Calliphora, Sus-
American species of (ill.) 123	pension of rules in cases of 231
domestica, Musca 231	Mydaca (see pectinata).
Dyodiplosis (see andropogo-	nasuta*, Ceropsilopa 341
nia).	nigricans, Phaonia 327
ciscni, Anopheles 17	nigripes*, Campsicnemus (ill.) 126
eluta, Tipula 146	nigripes, Mesorhaya 124

Notice of a possible suspen-	tera, comanche, bella, sube-
sion of rules of zoological	luta, caloptera, strepens,
nomenclature in cases of	conspicua, eluta, xanthostig-
Musca and Calliphora 231	ma, fraterna, tricolor, vi-
occidentalis, Cheilosia 415	trca).
pallipalpis, Lispocephala alma 326	Tipula, Key to the N. A. spe-
paludis*, Hammomyia 323	cies of the tricolor group 149
Parallelodiplosis (see cattle-	torreyac, Limnophora 320
yac).	Tricolor group of the genus
Parasites of the human intes-	Tipula, Key to the species of 143
tine 343	tricolor, Tipula 140
pectinata, Mydaca 326	Tropidia, New species from
Phaonia (see nigricans).	Montana 34
Pipisa from California 414	variabilis*, Scatophila 34
(See also californica).	varipes*, Mesorhaga 12,
Prosalpia 325	verna, Lispocephala 321
(See also arclate, silvestris).	vicina*, Tipula (ill.) 14
Pseudhormomyia (see fluvia-	vitrea, Tipula 14
lis, cornea).	vomitoria, Calliphora 23
pseudopunctipennis, Anophe-	xanthostigma*, Tipula (ill.) 15
les 16	
Sarcophaga haemorrhoidalis	HEMIPTERA
Surtophugu number notuuts	
larvae as parasites of the	affinis, Harmostes 44
larvae as parasites of the	affinis, Harmostes 44
larvae as parasites of the human intestine 343	affinis, Harmostes
larvae as parasites of the human intestine	affinis, Harmostes
larvae as parasites of the human intestine 343 Scatophila (see variabilis). Seasonal abundance of flies in	affinis, Harmostes
larvae as parasites of the human intestine	affinis, Harmostes
larvae as parasites of the human intestine	affinis, Harmostes
larvae as parasites of the human intestine	affinis, Harmostes
larvae as parasites of the human intestine	affinis, Harmostes
larvae as parasites of the human intestine	affinis, Harmostes
larvae as parasites of the human intestine	affinis, Harmostes
larvae as parasites of the human intestine	affinis, Harmostes
larvae as parasites of the human intestine	affinis, Harmostes
larvae as parasites of the human intestine	affinis, Harmostes
larvae as parasites of the human intestine	affinis, Harmostes
larvae as parasites of the human intestine	affinis, Harmostes
larvae as parasites of the human intestine	affinis, Harmostes
larvae as parasites of the human intestine	affinis, Harmostes
larvae as parasites of the human intestine	affinis, Harmostes
larvae as parasites of the human intestine	affinis, Harmostes

buxi, Psyllia 40	Life-history and habits of the
californiensis*, Thomasia (ill.) 61	larger waterstrider, Gerris
Chinese gall (ill.) 385	remigis 201
chinensis, Melaphis (ill.) 391	Life history of Gerris margi-
Clivinema (see regalis).	natus 295
Corythuca, New species of 258	Life history of Microvelia bo-
(See also pura.)	realis (ill.) 354
Cottony cushion scale, Mating	Life history of Notonecta un-
habit of 162	dulata 267
croccus*, Harmostes 445	Lopidea, New species of 455
davisi*, Largidea 7	ludovicianus*, Apateticus (ill.) 462
davisi*, Lopidea (ill.) 458	Macrotracheliella found in
diffidens, Scolopostethus 67	New England, A species of 37
dorsalis, Harmostes 439	(See also nigra.)
Egg-laying habits of a back-	margaritacea, Buenoa (ill.) 174
swimmer 174	marginatus, Gerris 295
clegans, Buenoa 176	Margined water strider (see
essigi*, Myzocalis	Gerris marginatus).
formosus, Harmostes 442	marmoratus, Harmostes 446
fraterculus, Harmostes 444	Mating habit of the cottony
Gall, Chinese (ill.) 385	cushion scale
Gargaphia, Key to species 227	Melaphis (see chinensis).
(See also albescens, solani,	Microvelia borealis, Life his-
angulata, tiliae, opacula,	tory (ill.)
iridescens.)	minor, Harmostes 448
Gerris marginatus, Life his-	Miridae, New and noteworthy
tory and habits of 295	forms of
(See also remigis.)	modestus*, Neobothynotus 34
Habits and life-history of	Myzocalis (see essigi, wood-
Gerris remigis 201	worthi, hyalinus).
Habits of Gerris marginatus 295	Nearctic species of Garga-
Harmostes, The genus 439	phia, Key to the species 227
(See also dorsalis, nebulo-	nebulosus, Harmostes 441
sus, formosus, affinis, pro-	Neobothynotus* 33
lixus, procerus, apicatus,	(See also modestus.)
serratus, fraterculus, sub-	nigra*, Macrotracheliella 38
rufus, croccus, marmora-	noctuans, Sericophanes 4
tus, raphimerus, bicolor,	Notonecta undulata, Life his-
reflexulus, minor, obli-	tory of
	Notonecta (see undulata).
quus.) heidemanni*, Lopidea (ill.) 456	obliquus, Harmostes 448
hyalinus, Myzocalis 64	occllatus, Scricophanes 3
Icerya (see purchasi).	opacula, Gargaphia 227
iridescens, Gargaphia 228	pictus, Scolopostethus 68
Largidea (see davisi).	platycnemis, Buenoa 176
Largara (see adoist).	prostremos, Duenou 170

Plea (see striola).	Aprostocetus (see marilandi-	
procerus, Harmostes 443	cus).	
prolixus, Harmostes 443	argenticoxa*, Spalangiolaelaps	23
Psyllia buxi in New Jersey 40	Bees from Costa Rica 2	200
pura*, Corythuca 258	biguttus*, Eupelmus 2	256
purchasi, Icerya 162	Blattotetrastichus 2	57
pyrioides, Stephanitis (ill.) 101	Carlyleia*	20
raphimerus, Harmostes 446	(See also marilandica).	
reflexulus, Harmostes 447		20
regalis*, Clivinema 5	Chalcid flies, New 2	
remigis, Gerris 201	Chrysocharomyia (see cle-	
reuteri*, Lopidea (ill.) 459	ganta).	
salicis*, Lopidea (ill.) 457	clisiocampae, Ablerns I	86
sanguinea*, Lopidea staphy-	Cocoon of Praon, Construc-	
lcae		364
Scolopostethi, New York 65		,63
Scolopostethus		,0 397
(See also thomsoni, atlanti-	Construction of the cocoon of	21
cus, diffidens, pictus, af-		364
finis.)		200
· · · · · · · · · · · · · · · · · · ·	crawfordi*, Psaenythia thora-	, OC
Sericophanes (see ocellatus, noctuans).	cica 3	o
		22
serratus, Harmostes 444	Egg parasite of the sumac flea	
solani, Gargaphia 227		368
staphyleae*, Lopidea (ill.) 460	Eiphosoma, New West Indian 4	
Stephanitis (see pyrioides).		21
striola, Plea 176		1 بک
subrufus, Harmostes 445	Epicharis (see phenacura, co-	
Tenthecoris (see bicolor).	nura).	
Thomasia (see californicusis).	Epomphaloides (see ischnop- terae).	
thomsoni, Scolopostethus 67	Eupelmus (see biguttus).	
tiliac, Gargaphia 227 undulata, Notonecta (ill.).176, 267	haitiense*, Eiphosoma (ill.). 4	
		ю. :06
Water strider (Gerris remi-	Host of Ablerus clisiocampae I	
gis), Life history and hab-	Ichneumonid genus Eiphoso-	00
its		.5u
woodworthi, Myzocalis (iii.) 63		:57
HYMENOPTERA		:57  51
Ablerus clisiocampae, Host of 18t	List of North Dakota wasps	D.
Achrysocharis (see divina).		119
acgeriae, Trigonoderus 396		50
algonquinia*, Trigonoderus 396		264
Ants vs. men 185	(See also raui, simillima).	

marilandica*, Carlyleia 20	Autographa (see olivacea,
marilandicus*, Aprostocetus 21	vaccinii).
marilandicus*, Sceptrophorus. 256	bachmani, Libythca 339
mediogutta*, Neomphaloidella 255	badia, Orgyia 151
Miscogaster (see ungutta).	behri, Lycaena 213
Monobaeus in No. America 106	californica*, Argynnis 328
Neomphaloidella (see medio-	callidus, Thanaos 232
gutta).	Castnia (see therapon).
nonstylatus*, Trigonoderus 397	Catocala net, A new 71
ovipransus*, Tetrastichus (ill.) 368	Ccrapoda (see oblita).
pachycephala*, Psacnythia 302	Clouds of butterflies 393
phenacura*, Epicharis 200	cofaqui, Megathymus 232
Praon, Cocoon of 364	columbia*, Lycaena lygdamus 213
Psacnythia (see pachycephala,	couperi, Lycaena 213
crawfordi).	Determination of generic
raui*, Macrophya 264	types 463
Sceptrophorus (see marilandi-	Diatraca (see saccharalis).
cus).	Distribution of Autographa
simillima*. Macrophya 265	vaccinii 29
Spalangiolaelaps* 22	Egg-masses of the vaporer
(See also argenticoxa).	moths wanted 151
spiloptera*, Colletis 363	Elegant looper (see Philtraca).
Tetrastichus (see ovipransus).	clegantaria, Philtraea 394
Trigonoderus, North Ameri-	Erebus odora and its larvae
can species of 396	in Iowa 79
ungutta*, Miscogaster 23	Erythroecia (see hcbardi).
unguttus*, Trigonoderus 396	Fall web worm 425
Wasps of North Dakota 419	flavida*, Anthocharis 438
West Indian species of Ei-	genutia, Anthocharis 438
phosoma 450	Graefia 233
	hebardi*, Erythroecia 329
LEPIDOPTERA	Hesperidae, Some synonymy
Abundance of the Fall web	in 82
worm 425	Hyphantria (see textor).
Acronycta, A new species of 183	Larvae of Erebus odora in
afra, Lycaena 213	Iowa 79
americana, Malacosoma 186	Libythea bachmani, Swarms
Animomyia 233	of (ill.) 339
Anthocharis genutia and a	List of the butterflies of Iowa 347
new variety 438	Locomotion of Vanessa in
(See also flavida).	different luminous intensities
antiopa, Vanessa 83	Lycaena lygdamus and its
Argynnis (see californica).	races with description of a
arida*, Melitaca 328	new one 212

(See also behri, oro, cou-	Fanessa antiopa, Locomotion
peri, afra, columbia).	of 83
lygdamus, Lycaena 212	vetusta, Orgyia 151
Malacosoma (see americana).	wanda*, Acronycta 183
Megathymus, Pupal differ-	yucca, Megathymus 232
ences in 232	MALLOPHAGA
(See also yucca, cofaqui,	Birds, New Mallophaga from 433
stephensi.)	Goniodes (see zenaidurae).
Melitaca (see arida).	intermedium*, Laemobothrium
Net, A new Catocala (ill.) 71	(ill.)
Notolophus (see Orgyia).	Lacmobothrium (see interme-
oblita, Cerapoda 233	dium).
odora, Erebus 79	Mallophaga from North
olivacea*, Autographa 329	American birds 433
Orgyia (see vetusta, badia).	melospizac*, Physostomum
oro, Lycaena 213	(ill.)
Outbreak of Philtraea ele-	Physostomum (see mclospi-
gantaria on privet in Loui-	zac).
siana 394	zenaidurac*, Goniodes (ill.) 433
Philtraea elegantaria on privet 394	
polyphemus, Telea 374	NEUROPTERA
Pupal differences in Megathy-	Ant lions, Phylogeny of 42
mus	Chrysopidae do eat, Adult 184
Rainfall on abundance of a	Chrysopidae, Feeding habits
moth, Influence of 16	of
saccharalis, Diatraca 16:	Feeding habits of Chrysopi-
Sex attraction overcome by	dae
light stimulation 374	Phylogeny of ant lions 42
Southwestern States, Data	ODONATA
wanted on material from 122	Abundance of Sympetrum
stephensi, Mcgathymus 232	rubicundulum 479
Swarms of butterflies (ill.) 339	Acolagrion* 242
Synonymic notes on North	(See also dorsale, flamme-
American L 232	um, demararum.)
Synonymy in the Hesperidae. 82	Agrionines, Relations of the
Synonymy of Autographa vac-	Hawaiian (ill.)
cinii 29	andromache, Leptagrion (ill.) 243
Telea (see polyphemus).	apicalis, Calopteryx dimidiata 266
textor, Hyphantria 425	byrsonima, Metaleptobasis 8
Thanaos (see callidus).	Calopteryx (see apicalis).
therapon, Castnia 25	Cercion, Drawings of the
Types, Determination of ge-	penes of (ill.) 14
neric	Coenagrion, Drawings of the
vaccinii, Autographa 29	penes of (ill.) 14

Cora, A new genus allied to 2	259	Anisolabis (see marifima).	
Correction of specific name of		annulipes, Euborellia	312
a dragonfly	8	apicedentatus, Spongovostox	315
Costa Rican Odonata, Studies		arachidis, Prolabia	320
on 2	259	auricularia, Forficula	
croccum, Leptagrion (ill.) 2	241	bidens, Labidura	
	244	bilobata, Steirodonopis (ill.).	
dispar, Leptagrion (ill.) 2	243	Blattid, New species of	
	218	brunneipennis, Vostox	
	243	campodeiformis, Grylloblatta.	
	250	championi, Peucestes	
	263	Chelisoches (see morio).	
Leptagrion, Some species of. 2	- 1	citrifolius, Posidippus	117
(See also macrurum, elon-		Cnemidophyllum*	
gatum, andromache, por-		(See also lincatum.)	
rectum, dispar, croceum.)		Coclophyllum simplex and	
macrurum, Leptagrion (ill.). 2	242	certain of its allies	152
Megalagrion, Drawings of the		(See also amazonicum, cre-	-,/-
penes of	12	nulatum, costaricense, pe-	
Metaleptobasis (see byrsoni-		ruvianum, simplex.)	
ma).		costaricense*, Coclophyllum	
Miocora*	250	(ill.)	156
(See also peraltica.)	-39	couloniana, Stilpnochlora (ill.)	
Nconeura and related genera,		crenulatum, Coelophyllum	
Penes in (ill.)	280	Critical notes on the group	150
	289	Steirodontia (ill.)	107
Penes of damselflies, Notes on	-	curvicauda, Labia	
(ill.)	9	davisi, Doru	
Penes of Zygoptera, Notes on	9	degecrii, Frontinus (ill.)	
	289	dentatus, Peucestes	
	260		115
	263	Dermaptera of North Amer-	
	243	ica, Notes on	311
	179	Doru (see lineare, aculea-	
	263	tum, davisi).	
	169	Earwigs of North America,	
Wing tracheation, Notes on	109	Notes on	311
	160	clegans, Zonocerus	2
Zygoptera, Notes on penes of	109	Euborellia (see annulipes).	
	280	Forficula (see auricularia).	
(1111)		Frontinus	110
ORTHOPTERA	200	(See also degcerii.)	9
	322	Grylloblatta (see campodei-	
amazonicum*, Coclophyllum		formis).	
(iii )	T 5.1	100011111111111111111111111111111111111	

Katydids forming the group	Posidippus 116
Steirodontia (ill.) 107	(See also citrifolius, vali-
Labia (see minor, rchni, cur-	dus.)
vicanda).	Prolabia (see pulchella, ara-
Labidura (see bidens).	chidis, unidentata).
laurifolium, Stilpnochlora	pulchella, Prolabia (ill.) 319
(ill.) I12	quadrata, Stilpnochlora (ill.). 111
lineare, Doru 321	rehni*, Labia (ill.) 317
lineatum*, Cnemidophyllum	simplex, Coelophyllum 160
(ill.) 119	Steiredon 114
marginella, Stilpnochlora (ill.) 110	Steirodonopis
maritima, Anisolabis 312	Spongovostox (see apiceden-
minor, Labia 316	tatus).
morio, Chelisoches 321	Stilpnochlora (see also mar-
Myrmecoblatta (see wheeleri).	ginella, quadrata, couloni-
Myrmecophilous blattid, New	ana, laurifolium).
species of 360	Stilpnochlora 107
Pandictyoptera 408	striolatus, Peucestes 114
Panorthoptera 409	unidentata, Prolabia (ill.) 318
Panplecoptera 408	validus, Posidippus 118
peruvianum*, Coelophyllum	Vostox (see brunneipennis).
(ill.) 159	wheeleri*, Myrmecoblatta
Peucestes (see striolatus, den-	(ill.) 360
tatus, championi).	Zonocerus elegans, Note on 2